

AMENDMENTS TO THE CLAIMS

This listing of claims replaces all prior versions of claims in the application.

1. (Currently Amended): A magnetic recording medium comprising a single-layered or laminated biaxially oriented laminated film and a magnetic layer disposed on one surface thereof:

at least one layer of said laminated film is a film layer C comprising an aromatic polyester (a) and a polyolefin (b) having a melting point of from 230 to 280°C, and

at least one layer of said laminated film is a film layer B comprising an aromatic polyester (a) laminated on at least one surface of said film layer C, wherein

the total number of film layers B and C are least by four,

the ratio of the polyolefin (b) is from 2 to 60% by weight based on the entire weight of the film, and

the film thickness is from 1 to 10 μm ,

the humidity expansion coefficient in the width direction of the film is from 0.5×10^{-6} to 7×10^{-6} /%RH, and

the temperature expansion coefficient in the width direction of the film is from -8×10^{-6} to 10×10^{-6} % /°C.

2. (Cancelled).

3. (Cancelled).

4. (Cancelled).

5. (Cancelled).

6. (Currently Amended): The ~~biaxially oriented film~~ magnetic recording medium according to claim 1, wherein the aromatic polyester (a) is polyethylene-2,6-naphthalene dicarboxylate.

7. (Currently Amended): The ~~biaxially oriented film~~ magnetic recording medium according to claim 1, wherein the polyolefin (b) has at least one of the characteristic of a dielectric constant of less than 3.0 and a dielectric loss of less than 0.001.

8. (Currently Amended): The ~~biaxially oriented film~~ magnetic recording medium according to claim 1, wherein the polyolefin (b) is a syndiotactic styrene polymer.

9. (Cancelled).

10. (Cancelled).

11. (Cancelled).

12. (Cancelled).

13. (Cancelled).

14. (Currently Amended): The ~~biaxially oriented film~~ magnetic recording medium according to claim ~~[[5]]~~ 1, ~~wherein the biaxially oriented film is a three layered film wherein the~~ comprising film layers B ~~are~~ laminated on both surfaces of the film layer C.

15. (Cancelled).

16. (Cancelled).

17. (Cancelled).

18. (Currently Amended): The ~~biaxially oriented film~~ magnetic recording medium according to claim 1, wherein the Young's modulus both in the film forming direction and in the

width direction of the film is 5 GPa or more and the total for both of them is 22 GPa at the greatest.

19. (Cancelled).

20. (Cancelled).

21. (Currently Amended): The ~~biaxially oriented film~~ magnetic recording medium according to claim 1, wherein the breakdown voltage exceeds 400 V/ μ m and the heat resistant temperature is ~~140°e~~ 110°C or higher.

22. (Cancelled).

23. (Cancelled).

24. (Cancelled).

25. (Cancelled).

26. (Cancelled).

27. (Cancelled).

28. (Cancelled).

29. (Cancelled).

30. (Cancelled).

31. (Cancelled).

32. (Cancelled).

33. (Cancelled).

34. (Cancelled).

35. (Cancelled).

- 36. (Cancelled).
- 37. (Cancelled).
- 38. (Cancelled).
- 39. (Cancelled).
- 40. (Cancelled).
- 41. (Cancelled).
- 42. (Cancelled).
- 43. (Cancelled).
- 44. (Cancelled).
- 45. (Cancelled).
- 46. (Cancelled).
- 47. (Cancelled).
- 48. (Cancelled).
- 49. (Cancelled).
- 50. (Cancelled).
- 51. (Cancelled).
- 52. (Cancelled).